



3-Up Narrow Coupon Pattern / 1.4 Mil Polyester Liner

Item #: SC105208

FACESTOCK

Test Property	Units	Typical Value	Metric Units	Metric Value	Test Method
Yield	in ² /lb	40,800	sq meter/kg	58.3	ASTM E252
Caliper Average (Films)	mil	0.8	um	20.3	ASTM D374
Haze	%	2	%	2	ASTMD374
Tensile Strength at break – MD	psi	16,000	kg/sq cm	1,124.8	ASTM D882
Tensile Strength at break – TD	psi	38,000	kg/sq cm	2,671.4	ASTM D882
Elongation at Break –MD	%	150	%	150	ASTM D882
Elongation at Break – TD	%	50	%	50	ASTM D882

BREAK AWAY COATING

Test Property	Units	Typical Value	Metric Units	Metric Value	Test Method
Caliper – Calculated	mils	0.4	UM	10.2	TAPPI T411
Release Value	grams	250	grams	250	Supplier

FACESTOCK

Test Property	Units	Typical Value	Metric Units	Metric Value	Test Method
Yield	in ² /lb	40,800	sq meter	58.3	ASTM E252
Caliper Average (Films)	mil	0.8	um	20.3	ASTM D374
Haze	%	2	%	2	ASTMD374
Tensile Strength at break – MD	psi	16,000	kg/sq cm	1,124.8	ASTM D882
Tensile Strength at break – TD	psi	38,000	kg/sq cm	2,671.4	ASTM D882
Elongation at Break –MD	%	150	%	150	ASTM D882
Elongation at Break – TD	%	50	%	50	ASTM D882

ADHESIVE (00515)

Test Property	Units	Typical Value	Metric Units	Metric Value	Test Method
Shear 1x1/2x1kg)	hrs	13.8	hrs	13.8	CPD-55
Peel 180D SS 20min	lb/inch	1.1	grams/25mm	491.1	CPD-52
Loop Tack SS	oz/sq inch	33	kg/645sq mm	0.9	CPD-16
Min App Temp	F	40	C	4	
Service Temp	F	-40 to 250	C	-40 to 121	

LINER (1.4 Mil Polyester)

Test Property	Units	Typical Value	Metric Units	Metric Value	Test Method
Yield	sq in/lb	13,968	sq m/kg	20	ASTM E252
Caliper	mils	1.4	um	35.6	ASTM D374
Haze	%	6.5	%	6.5	ASTM D1003
Elongation at break – MD	%	110	%	110	ASTM D882
Elongation at break – TD	%	110	%	110	ASTM D882
Tensile – MD	lb/sq inch	32,000	kg/sg inch	2,249.6	ASTM D882
Tensile – CD	lb/sq inch	32,000	kg/sq inch	2,249.6	ASTM D882

Notes – Shelf life of product is eight months when stored out of direct sunlight and in a cool dry area. Additional product info on next page.

Notes –

- Minimum Order is 3 MMSI
- Overrun/Underrun Tolerance +/- 10%
- Roll Width is 7.375”
- 5,000’, 7,500’ and 10,000’ Rolls
- Wind – Liner Out Unless Specified
- Shipped on the Round

The information presented in this publication is believed to be accurate and is not intended to constitute a specification. The values given reflect average material characteristics. All statements, technical information and recommendations about Green Bay Packaging Inc. products are based upon tests believed to be reliable, but do not constitute a guarantee or warranty. All products are sold with the understanding that the purchaser has independently determined the suitability of such products for its purpose. No salesperson, representative, or agent of Green Bay Packaging Inc. is authorized to give any guarantee, warranty, or make any representation contrary to the above. The company’s standard Terms and Conditions (found in the current Green Bay Packaging Inc. – Coated Products Operations, Roll Printer Price Book) in effect at the time of the sale shall control.

La información presentada en esta publicación se considera correcta; no debe ser interpretada como una especificación. Los valores dados reflejan las características regulares de los materiales. Todos los informes, fichas técnicas, y recomendaciones de los productos de Green Bay Packaging Inc. están basados en pruebas que se consideran confiables, pero no constituyen ningún tipo de garantía. Todos los productos se venden con el entendimiento de que el comprador ha determinado independientemente la conveniencia de estos productos para su uso final. Ningún vendedor, representante, ni agente de Green Bay Packaging Inc. está autorizado para dar ningún tipo de garantía, ni hacer representación alguna contraria a lo susodicho. Los Términos y Condiciones vigentes que regulan toda relación comercial de Green Bay Packaging Inc. – Coated Products Operations son los que se encuentran impresos en inglés en el último Libro de Precios. (Green Bay Packaging Inc. – Coated Products Operations, Roll Printer Price Book)

SPECIALISTS IN COATED SELF-ADHESIVE MATERIALS
ESPECIALISTAS EN MATERIALES AUTO-ADHESIVOS

3250 South Ridge Road • P. O. Box 19017 • Green Bay, WI 54307-9017 • USA
Phone: 001-(920)-337-1800, 800-445-4269, WI: 800-472-4442 • FAX: 001-(920)-337-1797, 800-705-0111