



White Paper										
Structure	Description	Item #	Splice Free	GB	WIN	KC	MIN	ATL	LA	
A54SG / 720 / 40SC	55# Semi-Gloss All-temp permanent	S8221660	Yes	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
008GB (facer only)	8 Point Gloss White Tag (C2S)	S7670560	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
A54SG / 720M / 40SC	55# Semi-Gloss All-temp permanent	S8899060	Yes	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
A54SG / 758M / 41LF	55# Semi-Gloss *NEW* General Purpose Permanent	S8836960	No	<input checked="" type="checkbox"/> [†] 5/10/15	<input checked="" type="checkbox"/> [†] 10/ 15 only	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
F54SG / 720 / 40SC	53# Semi-Gloss (FSC Certified) *NEW* All-temp permanent	S9035760	Yes	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
F54SG / 747 / 40SC	53# Semi-Gloss (FSC Certified) Tackified permanent	S7739560	Yes	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
F54SG / 758M / 0PRLF	53# Semi-Gloss (FSC Certified) General purpose permanent	S8941260	No	<input checked="" type="checkbox"/> [†]	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
F54SG / 805 / 0PRLF	53# Semi-Gloss (FSC Certified) Removable Adhesive	S8941160	No	<input checked="" type="checkbox"/> [†]	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P54SG / 720 / 40SC	54# Pharma Semi-Gloss All-temp permanent	S8996260	Yes	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
008GB / 504 / 40SC	8 Point Gloss White Tag (C2S) Tackified Permanent	S9941860	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
008GB / 751 / 40SC	8 Point Gloss White Tag (C2S) Tackified permanent	S7666660	No	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
050ED / 720 / 40SC	50# EDP Smudge Resistant All-temp permanent	S6069060	No	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
050ED / 720 / 50SC	50# EDP Smudge Resistant All-temp permanent	S6499060	No GB, KC No* WN	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
054SA / 720 / 40SC	54# Semi-Gloss Opaque All-temp permanent	S8820660	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
054SG / 278 / 40SC	54# Semi-Gloss Ultra removable microsphere	S8164560	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
054SG / 531 / 40SC	54# Semi-Gloss General purpose removable	S7633960	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
054SG / 700 / 40SC	54# Semi-Gloss General purpose permanent	S7755860	Yes	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
054SG / 720 / 12NB	54# Semi-Gloss All-temp permanent	S8121860	No	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
054SG / 720 / 40SC	54# Semi-Gloss All-temp permanent	S7724460	Yes (5/10) 15-GB ONLY	<input checked="" type="checkbox"/> 5/10/15	<input checked="" type="checkbox"/> 5/10/15	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> 5/10/15	<input checked="" type="checkbox"/> 5/10/15	<input checked="" type="checkbox"/> 5/10/15

* Indicates a runnable splice ** Indicates yellow splice tape - 5,000' and 10,000' rolls standard unless otherwise noted - † 6" Cores
 All orders are taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. The company's standard Terms and Conditions as in effect at the time of sale shall control.



White Paper									
Structure	Description	Item #	Splice Free	GB	WIN	KC	MIN	ATL	LA
054SG / 720M / 40SC	54# Semi-Gloss All-temp permanent	S8849360	Yes (5/10/15) No (1,250/2,500) LA No-15	<input checked="" type="checkbox"/> 1,250/ 2,500/ 5/ 10/ 15	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> 5/10/15
054SG / 751 / 40SC	54# Semi-Gloss Tackified permanent	S7748960	Yes	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
054SG / 751 / 40SC	54# Semi-Gloss Tackified permanent (EASY RELEASE)	S8895960	Yes	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
054SG / 758M / 0PRLF	54# Semi-Gloss General purpose permanent	S8082660	No	<input checked="" type="checkbox"/> [†] 10/ 15 only (exact)	<input checked="" type="checkbox"/> [†] 10/ 15 only (exact)	<input checked="" type="checkbox"/> [†] 10/ 15 only (exact)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> [†] (exact)
054SG / 80361 / 0PRLF	54# Semi-Gloss Kids sticker	S8001560	No	<input checked="" type="checkbox"/> [†] 5/10/15	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
054WS / 747 / 12NB	54# Wet Strength Semi-Gloss Tackified permanent	S8906760	No	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
054WS / 747 / 40SC	54# Wet Strength Semi-Gloss Tackified permanent	S8901460	No	<input checked="" type="checkbox"/> 2,500/ 5/ 10	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
055SG / 720 / 40SC	54# Semi-Gloss All-temp permanent	S8838060	Yes	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
057HG / 720 / 40SC	57# Cast Coated High Gloss All-temp permanent	S7824560	No	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
057HG / 751 / 40SC	57# Cast Coated High Gloss Tackified permanent (HEAVY CT. WT.)	S8060260	No	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
060LM / 720 / 40SC	60# Litho Matte All-temp permanent	S8842760	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
060LM / 751 / 40SC	60# Litho Matte Tackified permanent	S8830560	No	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
060PA / 758M / 40SC	60# Semi-Gloss Opaque Litho General purpose permanent	S7712860	No	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
060PR / 272 / 40SC	60# Semi-Gloss Preferred Litho Ultra removable microsphere	S7018060	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
060PR / 275 / 40SC	60# Semi-Gloss Preferred Litho Ultra removable microsphere	S7701960	No	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
060SG / 720 / 40SC	60# Semi-Gloss Litho All-temp permanent	S7804560	No	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
060SG / 720M / 40SC	60# Semi-Gloss Litho All-temp permanent	S8899160	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
060SG / 747 / 40SC	60# Semi-Gloss Litho Tackified permanent	S7813460	No	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

* Indicates a runnable splice ** Indicates yellow splice tape - 5,000' and 10,000' rolls standard unless otherwise noted - † 6" Cores
 All orders are taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. The company's standard Terms and Conditions as in effect at the time of sale shall control.



November

White Paper

Structure	Description	Item #	Splice Free	GB	WIN	KC	MIN	ATL	LA
060SG / 758M / 60LF	60# Semi-Gloss Litho General purpose permanent	S8003760	No	<input type="checkbox"/>	<input checked="" type="checkbox"/> † (exact)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
061DL / 720 / 40SC	60# Dull Litho All-temp permanent	S4331060	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
061DL / 758M / 40SC	60# Dull Litho General purpose permanent	S8769360	No Yes (15 only)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
061DL / 758M / 0PRLF	60# Dull Litho General purpose permanent	S8003060	No	<input checked="" type="checkbox"/> † 10/15	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Specialty Papers

Structure	Description	Item #	Splice Free	GB	WIN	KC	MIN	ATL	LA
060GM / 720 / 40SC	66# Brown Natural Kraft All-temp permanent	S8083760	No	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
060GM / 758M / 40SC	66# Brown Natural Kraft General purpose permanent	S7649360	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
1DMEC / 720 / 39NK	60# 100% PCW Wet Strength All-temp permanent	S8809752	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
1DMEC / 747 / 44PM	60# 100% PCW Wet Strength Tackified permanent	S8808352	No	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
70BWF / 600 / 12NB	70# Bright White Felt Washaway permanent	S8913852	No	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> 2,500/ 5/ 10
70BWF / 747 / 12NB	70# Bright White Felt Tackified permanent	S8903752	No	<input checked="" type="checkbox"/> 2,500/ 5/ 10	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> 2,500/ 5/ 10
70BWF / 747 / 44PM	70# Bright White Felt Tackified permanent	S8903652	No	<input checked="" type="checkbox"/> 2,500/ 5/ 10	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> 2,500/ 5/ 10
BKVLM / 747 / 12NB	60# Black Vellum Tackified permanent	S8909152	No	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> 2,500/ 5/ 10
BKVLM / 747 / 40SC	60# Black Vellum Tackified permanent	S8909252	No	<input checked="" type="checkbox"/> 2,500/ 5/ 10	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
BKVLM / 747 / 44PM	60# Black Vellum Tackified permanent	S8936852	No	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> 2,500/ 5/ 10
H2ODP / 611 / 40SC	Highly Water Soluble Paper Water dissolvable adhesive	S8210460	No	<input checked="" type="checkbox"/> 2500/ 5/ 10	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
KONAL / 720 / 39NK	50# Kona Light Roast All-temp permanent	S8796760	No	<input checked="" type="checkbox"/> 2,500/ 5/ 10	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

* Indicates a runnable splice ** Indicates yellow splice tape - 5,000' and 10,000' rolls standard unless otherwise noted - † 6" Cores
 All orders are taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. The company's standard Terms and Conditions as in effect at the time of sale shall control.

All new structures have a trial period of 6 months. Structures are subject to change without notice.



Specialty Papers

Structure	Description	Item #	Splice Free	GB	WIN	KC	MIN	ATL	LA
KONAL / 747 / 40SC	50# Kona Light Roast Tackified permanent	S8939760	No	<input checked="" type="checkbox"/> 2,500/ 5/ 10	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
KONAL / 751 / 39NK	50# Kona Light Roast Tackified permanent	S8841160	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
KONAM / 720 / 39NK	50# Kona Medium Roast All-temp permanent	S8804360	No	<input checked="" type="checkbox"/> 2,500/ 5/ 10	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Fluorescent Paper

Structure	Description	Item #	Splice Free	GB	WIN	KC	MIN	ATL	LA
054GZ / 720 / 40SC	57# Green Matte Fluorescent All-temp permanent	S6231060	No	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
054GZ / 720 / 40SC	57# Green Matte Fluorescent All-temp permanent (TIGHT RELEASE)	S7656360	No	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
054GZ / 758M / 0PBLF	57# Green Matte Fluorescent General purpose permanent	S8189860	No	<input checked="" type="checkbox"/> [†]	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
054OZ / 720 / 40SC	57# Orange Matte Fluorescent All-temp permanent (TIGHT RELEASE)	S7607960	No	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
054OZ / 720 / 40SC	57# Orange Matte Fluorescent All-temp permanent	S6235060	No	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
054OZ / 758M / 0PBLF	57# Orange Matte Fluorescent General purpose permanent	S8190060	No	<input checked="" type="checkbox"/> [†]	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
054PZ / 720 / 40SC	57# Pink Matte Fluorescent All-temp permanent (TIGHT RELEASE)	S7748660	No	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
054PZ / 720 / 40SC	57# Pink Matte Fluorescent All-temp permanent	S8034360	No	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
054PZ / 758M / 0PBLF	57# Pink Matte Fluorescent General purpose permanent	S8190160	No	<input checked="" type="checkbox"/> [†]	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
054RZ / 720 / 40SC	57# Red Matte Fluorescent All-temp permanent (TIGHT RELEASE)	S7743960	No	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
054RZ / 720 / 40SC	57# Red Matte Fluorescent All-temp permanent	S6066060	No	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
054RZ / 758M / 0PBLF	57# Red Matte Fluorescent General purpose permanent	S8190260	No	<input checked="" type="checkbox"/> [†]	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

* Indicates a runnable splice ** Indicates yellow splice tape - 5,000' and 10,000' rolls standard unless otherwise noted - † 6" Cores
 All orders are taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. The company's standard Terms and Conditions as in effect at the time of sale shall control.



Fluorescent Paper									
Structure	Description	Item #	Splice Free	GB	WIN	KC	MIN	ATL	LA
054YZ / 720 / 40SC	57# Yellow Chartreuse Matte Fluorescent All-temp permanent	S6237060	No	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
054YZ / 720 / 40SC	57# Yellow Chartreuse Matte Fluorescent All-temp permanent (TIGHT RELEASE)	S7748760	No	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
054YZ / 758M / 0PBLF	57# Yellow Chartreuse Matte Fluorescent General purpose permanent	S8189960	No	<input checked="" type="checkbox"/> †	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Foil/Foil Substitutes									
Structure	Description	Item #	Splice Free	GB	WIN	KC	MIN	ATL	LA
021MU / 102 / 40SC	2.0 Mil Silver Metalized BOPP General purpose film adhesive	S8056060	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
021MU / 720 / 40SC	2.0 Mil Silver Metalized BOPP All-temp permanent	S8031460	No	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
023MU / 102 / 40SC	2.0 Mil Silver Metalized BOPP General purpose film adhesive	S9002160	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
023MU / 720 / 40SC	2.0 Mil Silver Metalized BOPP All-temp permanent	S9002060	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
055BG / 720 / 40SC	Top-Coated 70# Bright Gold Foil All-temp permanent	S6301060	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
055BS / 720 / 40SC	Top-Coated 70# Bright Silver Foil All-temp permanent	S6299060	No	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
055DG / 720 / 40SC	Top-Coated 70# Dull Gold Foil All-temp permanent	S6300060	No	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
055DS / 720 / 40SC	Top-Coated 70# Dull Silver Foil All-temp permanent	S6306060	No	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
056H5 / 751 / 40SC	Hologram Prismatic Diffraction: Rainbow Tackified permanent	S4607060	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
057MS / 720 / 40SC	57# Silver Metalized Paper All-temp permanent	S6203060	No	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
057MS / 751 / 40SC	57# Silver Metalized Paper Tackified permanent	S5841060	No	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

* Indicates a runnable splice ** Indicates yellow splice tape - 5,000' and 10,000' rolls standard unless otherwise noted - † 6" Cores
 All orders are taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. The company's standard Terms and Conditions as in effect at the time of sale shall control.



Thermal Imaging

Structure	Description	Item #	Splice Free	GB	WIN	KC	MIN	ATL	LA
020RX / 751 / 40SC	Direct Thermal Prescription Vial Label Tackified permanent	S8742660	No*	<input checked="" type="checkbox"/> 5/10/15	<input checked="" type="checkbox"/> 5/10/15	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> 5/10/15	<input type="checkbox"/>
020RX / 508 / 40SC	Direct Thermal Prescription Vial Label *NEW* General purpose pharmaceutical	S9007560	No	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
022TD / 720 / 40SC	Top-Coated Direct Thermal All-temp permanent	S6290060	No*	<input checked="" type="checkbox"/> 5/10/15	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
023VT / 720 / 40SC	Value Top-Coated Direct Thermal All-temp permanent	S7834560	No*	<input checked="" type="checkbox"/> 5/10/15	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
023VT / 853 / 40SC	Value Top-Coated Direct Thermal All-temp permanent	S7821060	No*	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
023VT / 853 / 40SC	Value Top-Coated Direct Thermal All-temp permanent (TIGHT RELEASE)	S7884060	No*	<input checked="" type="checkbox"/> 10	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> 10
23VTB / 720 / 40SC	Top-Coated Direct Thermal All-temp permanent	S8721060	No*	<input type="checkbox"/>	<input checked="" type="checkbox"/> 5/10/15	<input checked="" type="checkbox"/> 5/10/15	<input type="checkbox"/>	<input checked="" type="checkbox"/> 5/10/15	<input type="checkbox"/>
025DT / 531 / 40SC	Economy Top-Coated Direct Thermal General purpose removable	S8975760	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
025DT / 720 / 40SC	Economy Top-Coated Direct Thermal All-temp permanent	S8975560	No* Yes (20 only)	<input checked="" type="checkbox"/> 5/ 10/ 15/ 20	<input checked="" type="checkbox"/> 5/ 10/ 15/ 20	<input checked="" type="checkbox"/> 5/10/15	<input type="checkbox"/>	<input checked="" type="checkbox"/> 5/10/15	<input checked="" type="checkbox"/> 5/10/15
025NT / 720 / 40SC	Non Top-Coated Direct Thermal All-temp permanent	S8153252	No* Yes (10 Only)	<input checked="" type="checkbox"/> 5/10/15	<input checked="" type="checkbox"/> 5/10/15	<input checked="" type="checkbox"/> 5/10/15	<input type="checkbox"/>	<input checked="" type="checkbox"/> 5/10/15	<input checked="" type="checkbox"/> 5/10/15
025NT / 758M / 40SC	Non Top-Coated Direct Thermal General purpose permanent	S8155352	No*	<input checked="" type="checkbox"/> 5/10/15	<input checked="" type="checkbox"/> 5/10/15	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
026TT / 747 / 40SC	Thermal Transfer White Label-Lyte® Tackified permanent	S8773660	No*	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
030TT / 747 / 40SC	Thermal Transfer White Label-Lyte™ Tackified permanent	S5213060	No	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
050HS / 275 / 40SC	High Speed Coated Thermal Transfer Ultra removable microsphere	S7702060	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
050HS / 272 / 40SC	High Speed Coated Thermal Transfer Ultra removable microsphere	S7019060	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
070MK / 720 / 40SC	3.0 Mil Direct Thermal BOPP Film All-temp permanent	S4335060	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
075WP / 747 / 40SC	Thermal Transfer Matte White BOPP Tackified permanent	S8149152	No*	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

* Indicates a runnable splice ** Indicates yellow splice tape - 5,000' and 10,000' rolls standard unless otherwise noted - † 6" Cores
All orders are taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. The company's standard Terms and Conditions as in effect at the time of sale shall control.



November

Thermal Imaging									
Structure	Description	Item #	Splice Free	GB	WIN	KC	MIN	ATL	LA
095RK / 720 / 40SC	Synthetic Med Sensitivity Direct Thermal All-temp permanent	S4101060	No*	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
095TK / 538 / 50SC	Thermal Transfer Top-Coated Kimdura® Tight acrylic removable	S3286060	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
095TK / 751 / 50SC	Thermal Transfer Top-Coated Kimdura® Tackified permanent	S5391060	No*	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
100WP / 747 / 40SC	Thermal Transfer Matte White BOPP Tackified permanent	S7605960	No*	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
0TTFA / 758M / 40SC	Select Thermal Transfer Opaque General purpose permanent	S7711260	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
0TTFP / 531 / 40SC	Multi-Purpose Thermal Transfer Select General purpose removable	S7843160	No*	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
0TTFP / 720 / 40SC	Multi-Purpose Thermal Transfer Select All-temp permanent	S7833160	Yes	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
0TTFP / 758M / 40SC	Multi-Purpose Thermal Transfer Select General purpose permanent	S7664660	Yes	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
FVALT / 758M / 40SC	Value Thermal Transfer (FSC Certified) General purpose permanent	S8828652	No	<input type="checkbox"/>	<input checked="" type="checkbox"/> 5/10/15	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
VALUT / 278 / 40SC	Value Thermal Transfer Ultra removable microsphere	S8175760	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
VALUT / 720 / 40SC	Value Thermal Transfer All-temp permanent	S7851360	No* Yes (10 Only)	<input checked="" type="checkbox"/> 5/10/15	<input checked="" type="checkbox"/> 5/10/15	<input checked="" type="checkbox"/> 5/10/15	<input type="checkbox"/>	<input checked="" type="checkbox"/> 5/10/15	<input checked="" type="checkbox"/> 5/10/15
VALUT / 751 / 40SC	Value Thermal Transfer Tackified permanent	S7841560	No*	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
VALUT / 751 / 40SC	Value Thermal Transfer Tackified permanent	S8278660	No*	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
VALUT / 757 / 40SC	Value Thermal Transfer General purpose permanent	S9013660	No*	<input checked="" type="checkbox"/> 5/10/15	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> 5/10/15
VALUT / 758M / 40SC	Value Thermal Transfer General purpose permanent	S7839660	No* Yes (10 Only)	<input checked="" type="checkbox"/> 5/10/15	<input checked="" type="checkbox"/> 5/10/15	<input checked="" type="checkbox"/> 5/10/15	<input checked="" type="checkbox"/> 5/10/15	<input checked="" type="checkbox"/> 5/10/15	<input checked="" type="checkbox"/> 5/10/15
VALUT / 758M / 17GL	Value Thermal Transfer General purpose permanent	S8777860	No* Yes (10 only)	<input checked="" type="checkbox"/> 5/10/15	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

* Indicates a runnable splice ** Indicates yellow splice tape - 5,000' and 10,000' rolls standard unless otherwise noted - † 6" Cores
 All orders are taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. The company's standard Terms and Conditions as in effect at the time of sale shall control.

All new structures have a trial period of 6 months. Structures are subject to change without notice.



November

Structure	Description	Film		Splice Free	GB	WIN	KC	MIN	ATL	LA
		Description	Item #							
015PN / 720 / 40SC	1.5 Mil Clear Polystyrene All-temp permanent	S8175860	No	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
020CL / 102 / 12NB	2.0 mil Clear Top-Coated BOPP General purpose film adhesive	S8766160	Yes	<input checked="" type="checkbox"/> [†]	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> [†]
020CL / 102 / 39NK	2.0 mil Clear Top-Coated BOPP General purpose film adhesive	S8777060	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
020CL / 102 / 40SC	2.0 mil Clear Top-Coated BOPP General purpose film adhesive	S8017560	Yes-GB No-WN No-KC Yes-MN No-AT Yes-LA	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
020CL / 720 / 40SC	2.0 mil Clear Top-Coated BOPP All-temp permanent	S8766360	No	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
020CL / 720M / 40SC	2.0 mil Clear Top-Coated BOPP All-temp permanent	S8997360	No	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
020CL / 751 / 40SC	2.0 mil Clear Top-Coated BOPP Tackified permanent	S8782260	No	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
021MU / 102 / 40SC	2.0 mil Silver Metalized BOPP General purpose film adhesive	S8056060	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
021MU / 720 / 40SC	2.0 Mil Silver Metalized BOPP All-temp permanent	S8031460	No	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
023MU / 102 / 40SC	2.0 Mil Silver Metalized BOPP General purpose film adhesive	S9002160	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
023MU / 720 / 40SC	2.0 Mil Silver Metalized BOPP All-temp permanent	S9002060	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
23SWB / 102 / 12NB	2.3 Mil White Top-Coated BOPP General purpose film adhesive	S8939660	No	<input checked="" type="checkbox"/> [†]	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
23SWB / 102 / 40SC	2.3 Mil White Top-Coated BOPP General purpose film adhesive	S8982960	No	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
23SWB / 720 / 12NB	2.3 Mil White Top-Coated BOPP All-temp permanent	S8986860	No	<input checked="" type="checkbox"/> [†]	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
23SWB / 720M / 40SC	2.3 Mil White Top-Coated BOPP All-temp permanent	S9001560	No	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
023WP / 102 / 40SC	2.3 mil White Top-Coated BOPP General purpose film adhesive	S7731160	Yes	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
023WP / 103 / 12NB	2.3 mil White Top-Coated BOPP General purpose film adhesive	S7895760	No	<input checked="" type="checkbox"/> [†]	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
023WP / 103 / 40SC	2.3 mil White Top-Coated BOPP General purpose film adhesive	S7000060	Yes	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

* Indicates a runnable splice ** Indicates yellow splice tape - 5,000' and 10,000' rolls standard unless otherwise noted - † 6" Cores
 All orders are taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. The company's standard Terms and Conditions as in effect at the time of sale shall control.



Structure	Description	Film							
		Item #	Splice Free	GB	WIN	KC	MIN	ATL	LA
023WP / 720 / 40SC	2.3 mil White Top-Coated BOPP All-temp permanent	S7630960	Yes	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
024TL / 102 / 12NB	2.4 Mil White Top-Coated Label Lyte™ BOPP General purpose film adhesive	S8724760	No	<input checked="" style="font-size: small; vertical-align: middle;" type="checkbox"/> †	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
024TL / 102 / 40SC	2.4 Mil White Top-Coated Label Lyte™ BOPP General purpose film adhesive	S8775660	No	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
024TL / 102 / 92NB	2.4 Mil White Top-Coated Label Lyte™ BOPP General purpose film adhesive	S8276460	No**	<input checked="" style="font-size: small; vertical-align: middle;" type="checkbox"/> †	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
024TL / 720 / 40SC	2.4 Mil White Top-Coated Label Lyte™ BOPP All-temp permanent	S8773560	No	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
024TL / 747 / 40SC	2.4 Mil White Top-Coated Label Lyte™ BOPP Tackified permanent	S8779660	No	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
024TL / 751 / 12NB	2.4 Mil White Top-Coated Label-Lyte™ BOPP Tackified permanent	S8832660	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
024TL / 751 / 40SC	2.4 Mil White Top-Coated Label-Lyte™ BOPP Tackified permanent	S8787060	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
026TL (facers only)	2.6 mil White Top-Coated Label-Lyte™ BOPP	S6397560	Yes	<input checked="" type="checkbox"/> <small>5/10/20</small>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
026TL / 102 / 12NB	2.6 mil White Top-Coated Label-Lyte™ BOPP General purpose film adhesive	S8010760	No	<input checked="" style="font-size: small; vertical-align: middle;" type="checkbox"/> †	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
026TL / 102 / 40SC	2.6 mil White Top-Coated Label-Lyte™ BOPP General purpose film adhesive	S7802360	Yes-GB/WN No-KC No-MN Yes-ATL No-LA	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
026TL / 103 / 40SC	2.6 mil White Top-Coated Label-Lyte™ BOPP General purpose film adhesive	S6174060	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
026TL / 720 / 40SC	2.6 mil White Top-Coated Label-Lyte™ BOPP All-temp permanent	S6173060	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
026TL / 747 / 40SC	2.6 mil White Top-Coated Label-Lyte™ BOPP Tackified permanent	S7600560	No	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

* Indicates a runnable splice ** Indicates yellow splice tape - 5,000' and 10,000' rolls standard unless otherwise noted - † 6" Cores
 All orders are taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. The company's standard Terms and Conditions as in effect at the time of sale shall control.



Structure	Description	Film		Splice Free	GB	WIN	KC	MIN	ATL	LA
			Item #							
026TL / 751 / 40SC	2.6 mil White Top-Coated Label-Lyte™ BOPP Tackified permanent		S5384060	No	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
026TT / 747 / 40SC	Thermal Transfer White Label-Lyte® Tackified permanent		S8773660	No*	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
030TT / 747 / 40SC	Thermal Transfer White Label-Lyte™ Tackified permanent		S5213060	No	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
036CG / 347 / 50SC	3.6 mil Clear TC BOPP Removable adhesive		S6883060	No	<input checked="" type="checkbox"/> 2,500/ 5/ 10	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
036CG / 347 / 78LF	3.6 mil Clear TC BOPP Removable adhesive		S7149060	No	<input checked="" type="checkbox"/> [†]	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
036WG / 347 / 50SC	3.6 mil White TC BOPP Removable adhesive		S6888060	No	<input checked="" type="checkbox"/> 2,500/ 5/ 10	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
036WG / 347 / 78LF	3.6 mil White TC BOPP Removable adhesive		S7227060	No	<input checked="" type="checkbox"/> [†]	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
070MK / 720 / 40SC	3.0 Mil Direct Thermal BOPP Film All-temp permanent		S4335060	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
075WP / 747 / 40SC	Thermal Transfer Matte White BOPP Tackified permanent		S8149152	No*	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
095RK / 720 / 40SC	Synthetic Med Sensitivity Direct Thermal All-temp permanent		S4101060	No*	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
095TK / 538 / 50SC	Thermal Transfer Top-Coated Kimdura® Tight Acrylic Removable		S3286060	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
095TK / 751 / 50SC	Thermal Transfer Top-Coated Kimdura® Tackified permanent		S5391060	No*	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
100WP / 747 / 40SC	Thermal Transfer Matte White BOPP Tackified permanent		S7605960	No*	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
1CLPT / 111 / 12NB	1.0 Mil Clear Polyester Water resistant film adhesive		S8166060	No	<input checked="" type="checkbox"/> [†] 2,500,5,10	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2VWPT / 406 / 50SC	2.0 Mil Value White Polyester Durable permanent		S8089552	No	<input checked="" type="checkbox"/> 2,500,5,10	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2WLJP / 720 / 40SC	3.5 Mil White Polyester All-temp permanent		S8764960	No	<input checked="" type="checkbox"/> 1,250/ 2,500	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

* Indicates a runnable splice ** Indicates yellow splice tape - 5,000' and 10,000' rolls standard unless otherwise noted - † 6" Cores
 All orders are taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. The company's standard Terms and Conditions as in effect at the time of sale shall control.



Indigo Coated

Table with 10 columns: Structure, Description, Item #, Splice Free, GB, WIN, KC, MIN, ATL, LA. Rows include D23WP, D54SG, D55SG, and D55SG with various specifications.

Durable Materials

Table with 10 columns: Structure, Description, Item #, Splice Free, GB, WIN, KC, MIN, ATL, LA. Rows include 1CLPT and 2VWPT with specifications.

Beer & Wine

Table with 10 columns: Structure, Description, Item #, Splice Free, GB, WIN, KC, MIN, ATL, LA. Rows include 054WS, 1DMEC, 0WCSW, 0WEL8, and 0WEL8 with specifications.

* Indicates a runnable splice ** Indicates yellow splice tape - 5,000' and 10,000' rolls standard unless otherwise noted - † 6" Cores



November

Beer & Wine										
Structure	Description	Item #	Splice Free	GB	WIN	KC	MIN	ATL	LA	
OWEL9 / 747 / 44PM	60# Estate Label® #9 Cream Laid Tackified permanent	S8742152	No	<input type="checkbox"/>	<input checked="" type="checkbox"/> 2,500/5	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> 2,500/5
70BWF / 600 / 12NB	70# Bright White Felt Washaway permanent	S8913852	No	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> 2,500/ 5/10
70BWF / 747 / 12NB	70# Bright White Felt Tackified permanent	S8903752	No	<input checked="" type="checkbox"/> 2,500/ 5/10	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> 2,500/ 5/10
70BWF / 747 / 44PM	70# Bright White Felt Tackified permanent	S8903652	No	<input checked="" type="checkbox"/> 2,500/ 5/10	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> 2,500/ 5/10
BKVLM / 747 / 12NB	60# Black Vellum Tackified permanent	S8909152	No	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> 2,500/ 5/10
BKVLM / 747 / 40SC	60# Black Vellum Tackified permanent	S8909252	No	<input checked="" type="checkbox"/> 2,500/ 5/10	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
BKVLM / 747 / 44PM	60# Black Vellum Tackified permanent	S8936852	No	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> 2,500/ 5/10
KONAL / 720 / 39NK	50# Kona Light Roast All-temp permanent	S8796760	No	<input checked="" type="checkbox"/> 2,500/ 5/10	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
KONAL / 747 / 40SC	50# Kona Light Roast Tackified permanent	S8939760	No	<input checked="" type="checkbox"/> 2,500/ 5/10	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
KONAM / 720 / 39NK	50# Kona Medium Roast All-temp permanent	S8804360	No	<input checked="" type="checkbox"/> 2,500/ 5/10	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
PLRWS / 747 / 12NB	Polar White Wet Strength Barrier Paper Tackified permanent	S8888860	No	<input checked="" type="checkbox"/> 2,500/ 5/10	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
PLRWS / 747 / 40SC	Polar White Wet Strength Barrier Paper Tackified permanent	S8902360	No	<input checked="" type="checkbox"/> 2,500/ 5/10	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
PLRWS / 747 / 44PM	Polar White Wet Strength Barrier Paper Tackified permanent	S8873860	No	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> 2,500/ 5/10

Ink Jet / Laser										
Structure	Description	Item #	Splice Free	GB	WIN	KC	MIN	ATL	LA	
047LJ / 757 / 41LF	47# Super Bright Laser Jet *NEW* General purpose permanent	S9022060	No	<input checked="" type="checkbox"/> [†] 10/15	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
047LJ / 757 / 0PBLF	47# Super Bright Laser Jet *NEW* General purpose permanent	S9018560	Yes	<input checked="" type="checkbox"/> [†] 10 Only	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

* Indicates a runnable splice ** Indicates yellow splice tape - 5,000' and 10,000' rolls standard unless otherwise noted - † 6" Cores
 All orders are taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. The company's standard Terms and Conditions as in effect at the time of sale shall control.

All new structures have a trial period of 6 months. Structures are subject to change without notice.



November

Ink Jet / Laser									
Structure	Description	Item #	Splice Free	GB	WIN	KC	MIN	ATL	LA
050LB / 758M / 0PBLF	50# Laser Bright General purpose permanent	S8169060	Yes	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> [†] 10	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
050LJ / 720 / 0PBLF	50# Super Bright Laser Jet All-temp permanent	S8214960	Yes	<input checked="" type="checkbox"/> [†]	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
050LJ / 751 / 0PBLF	50# Super Bright Laser Jet Tackified permanent adhesive for pharmacy applications	S8218060	Yes	<input checked="" type="checkbox"/> [†] 10	<input type="checkbox"/>	<input checked="" type="checkbox"/> [†] 10	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
050LJ / 758M / 0PBLF	50# Super Bright Laser Jet General purpose permanent	S8165060	Yes-GB Yes-WIN No-LA	<input checked="" type="checkbox"/> [†] 10	<input checked="" type="checkbox"/> [†] 10	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> [†]
050LJ / 758M / 41LF	50# Super Bright Laser Jet General purpose permanent	S8238360	No	<input checked="" type="checkbox"/> [†] 10/15	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
054GZ / 758M / 0PBLF	57# Green Matte Fluorescent General purpose permanent	S8189860	No	<input checked="" type="checkbox"/> [†]	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
054OZ / 758M / 0PBLF	57# Orange Matte Fluorescent General purpose permanent	S8190060	No	<input checked="" type="checkbox"/> [†]	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
054PZ / 758M / 0PBLF	57# Pink Matte Fluorescent General purpose permanent	S8190160	No	<input checked="" type="checkbox"/> [†]	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
054RZ / 758M / 0PBLF	57# Red Matte Fluorescent General purpose permanent	S8190260	No	<input checked="" type="checkbox"/> [†]	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
054YZ / 758M / 0PBLF	57# Yellow Chartreuse Matte Fluorescent General purpose permanent	S8189960	No	<input checked="" type="checkbox"/> [†]	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
06INK / 720 / 40SC	60# Matte-Coated Ink Jet All-temp permanent	S8764760	No	<input checked="" type="checkbox"/> 1,250 2,500 5,000 10,000	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
1GINK / 720 / 40SC	59# Gloss Ink Jet Paper All-temp permanent	S8721460	No	<input checked="" type="checkbox"/> 1,250/ 2,500/ 5	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> 2,500/ 5 Only	<input checked="" type="checkbox"/> 1,250/ 2,500/ 5
1GINK / 751 / 40SC	59# Gloss Ink Jet Paper Tackified permanent	S8714360	No	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> 1,250/ 2,500/ 5
2WLJP / 720 / 40SC	3.5 Mil White Polyester All-temp permanent	S8764960	No	<input checked="" type="checkbox"/> 1,250 2,500 only	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

* Indicates a runnable splice ** Indicates yellow splice tape - 5,000' and 10,000' rolls standard unless otherwise noted - † 6" Cores
 All orders are taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. The company's standard Terms and Conditions as in effect at the time of sale shall control.



November

Piggybacks										
Structure	Description	Item #	Splice Free	GB	WIN	KC	MIN	ATL	LA	
050ED / 758M / 40SC / 758M / 40SC	50# EDP Smudge Resistant General purpose permanent	S7725060	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
054SG / 515 / 020PS / 515 / 40SC	53# Semi-Gloss General purpose permanent	S8143860	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
054SG / 758M / 40SC / 758M / 40SC	53# Semi-Gloss General purpose permanent	S8027060	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
054SG / 758M / 40SC / 758M / 50SC	53# Semi-Gloss General purpose permanent	S7686660	No	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
VALUT / 758M / 40SC / 758M / 40SC	Value Thermal Transfer General purpose permanent	S8138960	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

* Indicates a runnable splice **Indicates yellow splice tape - 5,000' and 10,000' rolls standard unless otherwise noted - † 6" Cores

- Minimum one slit roll at 3", minimum length varies by product.
- Rolls 5,000' or less are palletized poker chip (stacked on slit edge) with 45 inch maximum height including pallet.
- Rolls 10,000' or greater are palletized on the round (cradle packed).
- All pallets will be stretch wrapped.
- All rolls on 3 inch cores, except as noted.

- Orders placed by 4:00 PM (time zone applicable to location from which shipment originates) will be shipped next business day.
- Orders placed before cutoff time cannot be changed or cancelled after cutoff time.
- No early pickup arrangements, please.

GB=Green Bay, WI WIN=Winchester, VA KC=Kansas City, MO MIN=Minneapolis, MN ATL=Atlanta, GA LA=Los Angeles, CA

All orders are taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. The company's standard Terms and Conditions as in effect at the time of sale shall control.

FAX ORDERS 1-800-705-0111

CAN'T FIND IT? CALL 1-800-445-4269

November 1, 2018

All new structures have a trial period of 6 months. Structures are subject to change without notice.