



Indigo Coated									
Structure	Description	Item #	Splice Free	GB	WIN	KC	MIN	ATL	LA
D23WP / 102 / 40SC	Indigo Top-Coated 2.3 mil White BOPP General purpose film adhesive	S8188460	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
D54SG / 720 / 40SC	Indigo Top-Coated 53# Semi-Gloss All-temp permanent	S8717252	No	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
D55SG / 720 / 40SC	Indigo Top-Coated 55# Semi-Gloss All-temp permanent	S8142460	No	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
D55SG / 751 / 40SC	Indigo Top-Coated 55# Semi-Gloss Tackified permanent	S8126960	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

UV Ink Jet Presses									
Structure	Description	Item #	Splice Free	GB	WIN	KC	MIN	ATL	LA
020CL / 102 / 39NK	2.0 mil Clear Top-Coated BOPP General purpose film adhesive	S8777060	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
020CL / 102 / 40SC	2.0 mil Clear Top-Coated BOPP General purpose film adhesive	S8017560	Yes-GB No-WN No-KC Yes-MN No-AT Yes-LA	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
020CL / 720M / 40SC	2.0 mil Clear Top-Coated BOPP <b>*NEW*</b> All-temp permanent	S8997360	No	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
023WP / 102 / 40SC	2.3 mil White Top-Coated BOPP General purpose film adhesive	S7731160	Yes	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
023WP / 103 / 40SC	2.3 mil White Top-Coated BOPP General purpose film adhesive	S7000060	Yes	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
023WP / 720 / 40SC	2.3 mil White Top-Coated BOPP All-temp permanent	S7630960	Yes	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
23WBP / 720 / 40SC	2.3 Mil White TC BOPP All-temp permanent	S8836060	Yes	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
054GZ / 720 / 40SC	57# Green Matte Fluorescent All-temp permanent	S6231060	No	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
054GZ / 720 / 40SC	57# Green Matte Fluorescent All-temp permanent (TIGHT RELEASE)	S7656360	No	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
054OZ / 720 / 40SC	57# Orange Matte Fluorescent All-temp permanent (TIGHT RELEASE)	S7607960	No	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

\* Indicates a runnable splice - 5,000' and 10,000' rolls standard unless otherwise noted - † 6" Cores

All orders are taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. The company's standard Terms and Conditions as in effect at the time of sale shall control.



# February

UV Ink Jet Presses									
Structure	Description	Item #	Splice Free	GB	WIN	KC	MIN	ATL	LA
054OZ / 720 / 40SC	57# Orange Matte Fluorescent All-temp permanent	S6235060	No	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
054PZ / 720 / 40SC	57# Pink Matte Fluorescent All-temp permanent	S7748660	No	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
054PZ / 720 / 40SC	57# Pink Matte Fluorescent All-temp permanent	S8034360	No	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
054RZ / 720 / 40SC	57# Red Matte Fluorescent All-temp permanent	S7743960	No	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
054RZ / 720 / 40SC	57# Red Matte Fluorescent All-temp permanent	S6066060	No	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
054YZ / 720 / 40SC	57# Yellow Chartreuse Matte Fluorescent All-temp permanent	S6237060	No	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
054YZ / 720 / 40SC	57# Yellow Chartreuse Matte Fluorescent All-temp permanent	S7748760	No	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
055BS / 720 / 40SC	Top-Coated 70# Bright Silver Foil All-temp permanent	S6299060	No	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
055BG / 720 / 40SC	Bright Gold Laminated Foil All-temp permanent	S6301060	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
055DG / 720 / 40SC	Top-Coated 70# Dull Gold Foil All-temp permanent	S6300060	No	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
055DS / 720 / 40SC	Dull Silver Laminated Foil All-temp permanent	S6306060	No	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
057MS / 720 / 40SC	57# Silver Metalized Paper All-temp permanent	S6203060	No	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
057MS / 751 / 40SC	57# Silver Metalized Paper Tackified permanent	S5841060	No	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
0WCSW / 747 / 44PM	60# Classic Crest® Solar White Smooth Tackified permanent	S8741852	No	<input type="checkbox"/>	<input checked="" type="checkbox"/> 5	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
0WEL9 / 747 / 44PM	60# Estate Label® #9 Cream Laid Tackified permanent	S8742152	No	<input type="checkbox"/>	<input checked="" type="checkbox"/> 2,500/5	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> 2,500/5
1CLPT / 111 / 12NB	1.0 mil Clear Polyester Water resistant film adhesive	S8166060	No	<input checked="" type="checkbox"/> <sup>†</sup> 2,500,5,10	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2VWPT / 406 / 50SC	2.0 Mil Value White Polyester Durable permanent	S8089552	No	<input checked="" type="checkbox"/> 2,500,5,10	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

\* Indicates a runnable splice - 5,000' and 10,000' rolls standard unless otherwise noted - † 6" Cores

All orders are taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. The company's standard Terms and Conditions as in effect at the time of sale shall control.



# February

Xeikon									
Structure	Description	Item #	Splice Free	GB	WIN	KC	MIN	ATL	LA
020CL / 102 / 40SC	2.0 mil Clear Top-Coated BOPP General purpose film adhesive	S8017560	Yes-GB No-WN No-KC Yes-MN No-AT Yes-LA	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
020CL / 102 / 39NK	2.0 mil Clear Top-Coated BOPP General purpose film adhesive	S8777060	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
020CL / 720M / 40SC	2.0 mil Clear Top-Coated BOPP <b>*NEW*</b> All-temp permanent	S8997360	No	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
023WP / 102 / 40SC	2.3 mil White Top-Coated BOPP General purpose film adhesive	S7731160	Yes	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
026TL / 751 / 40SC	2.6 mil White Top-Coated Label-Lyte™ BOPP Tackified Permanent	S5384060	No	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
054GZ / 720 / 40SC	57# Green Matte Fluorescent All-temp permanent	S6231060	No	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
054GZ / 720 / 40SC	57# Green Matte Fluorescent All-temp permanent	S7656360	No	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
054OZ / 720 / 40SC	57# Orange Matte Fluorescent All-temp permanent	S7607960	No	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
054OZ / 720 / 40SC	57# Orange Matte Fluorescent All-temp permanent	S6235060	No	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
054PZ / 720 / 40SC	57# Pink Matte Fluorescent All-temp permanent	S7748660	No	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
054PZ / 720 / 40SC	57# Pink Matte Fluorescent All-temp permanent	S8034360	No	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
054RZ / 720 / 40SC	57# Red Matte Fluorescent All-temp permanent	S6066060	No	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
054RZ / 720 / 40SC	57# Red Matte Fluorescent All-temp permanent	S7743960	No	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
054SG / 751 / 40SC	54# Semi-Gloss Tackified Permanent	S7748960	Yes	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
054YZ / 720 / 40SC	57# Yellow Chartreuse Matte Fluorescent All-temp permanent	S6237060	No	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
054YZ / 720 / 40SC	57# Yellow Chartreuse Fluorescent All-temp permanent	S7748760	No	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
057HG / 720 / 40SC	57# Cast Coated High Gloss All-temp permanent	S7824560	No	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

**\* Indicates a runnable splice - 5,000' and 10,000' rolls standard unless otherwise noted - † 6" Cores**

All orders are taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. The company's standard Terms and Conditions as in effect at the time of sale shall control.



# February

Xeikon									
Structure	Description	Item #	Splice Free	GB	WIN	KC	MIN	ATL	LA

060PR / 275 / 40SC	60# Semi-Gloss Preferred Litho Ultra removable microsphere	S7701960	No	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
0WEL8 / 747 / 12NB	60# Estate Label® #8 White Smooth Tackified permanent	S8756052	No	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> 2,500/ 5/10
0WEL8 / 747 / 44PM	60# Estate Label® #8 White Smooth Tackified permanent	S8266852	No	<input type="checkbox"/>	<input checked="" type="checkbox"/> 5	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Laser									
Structure	Description	Item #	Splice Free	GB	WIN	KC	MIN	ATL	LA

050LB / 758M / 0PBLF	50# Laser Bright General purpose permanent	S8169060	Yes	<input checked="" type="checkbox"/> <sup>†</sup> 10	<input checked="" type="checkbox"/> <sup>†</sup> 10	<input checked="" type="checkbox"/> <sup>†</sup> 10	<input type="checkbox"/>	<input checked="" type="checkbox"/> <sup>†</sup> 10	<input type="checkbox"/>
050LJ / 720 / 0PBLF	50# Super Bright Laser Jet All-temp permanent	S8214960	Yes	<input checked="" type="checkbox"/> <sup>†</sup>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
050LJ / 758M / 0PBLF	50# Super Bright Laser Jet General purpose permanent	S8165060	Yes GB Yes WIN No LA	<input checked="" type="checkbox"/> <sup>†</sup> 10	<input checked="" type="checkbox"/> <sup>†</sup> 10	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> <sup>†</sup>
050LJ / 758M / 41LF	50# Super Bright Laser Jet General purpose permanent	S8238360	No	<input checked="" type="checkbox"/> <sup>†</sup> 10/15	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> <sup>†</sup> 15
054SG / 758M / 0PRLF	53# Semi-Gloss General purpose permanent	S8082660	No	<input checked="" type="checkbox"/> <sup>†</sup> 10/ 15 only (exact)	<input checked="" type="checkbox"/> <sup>†</sup> 10/ 15 only (exact)	<input checked="" type="checkbox"/> <sup>†</sup> 10/ 15 only (exact)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> <sup>†</sup> (exact)
054GZ / 758M / 0PBLF	57# Green Matte Fluorescent General purpose permanent	S8189860	No	<input checked="" type="checkbox"/> <sup>†</sup>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
054OZ / 758M / 0PBLF	57# Orange Matte Fluorescent General purpose permanent	S8190060	No	<input checked="" type="checkbox"/> <sup>†</sup>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
054PZ / 758M / 0PBLF	57# Pink Matte Fluorescent General purpose permanent	S8190160	No	<input checked="" type="checkbox"/> <sup>†</sup>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
054RZ / 758M / 0PBLF	57# Red Matte Fluorescent General purpose permanent	S8190260	No	<input checked="" type="checkbox"/> <sup>†</sup>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
054YZ / 758M / 0PBLF	57# Yellow Chartreuse Fluorescent General purpose permanent	S8189960	No	<input checked="" type="checkbox"/> <sup>†</sup>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
0WCSW / 747 / 44PM	60# Classic Crest® Solar White Smooth Tackified permanent	S8741852	No	<input type="checkbox"/>	<input checked="" type="checkbox"/> 5	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
0WEL8 / 747 / 12NB	60# Estate Label® #8 White Smooth Tackified permanent	S8756052	No	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> 2,500/ 5/10
0WEL8 / 747 / 44PM	60# Estate Label #8 White Smooth Tackified permanent	S8266852	No	<input type="checkbox"/>	<input checked="" type="checkbox"/> 2,500/5	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

\* Indicates a runnable splice - 5,000' and 10,000' rolls standard unless otherwise noted - † 6" Cores

All orders are taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. The company's standard Terms and Conditions as in effect at the time of sale shall control.



# February

Laser									
Structure	Description	Item #	Splice Free	GB	WIN	KC	MIN	ATL	LA
0WEL9 / 747 / 44PM	60# Estate Label® #9 Cream Laid Tackified permanent	S8742152	No	<input type="checkbox"/>	<input checked="" type="checkbox"/> 2,500/5	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> 2,500/5

Water Based Ink Jet									
Structure	Description	Item #	Splice Free	GB	WIN	KC	MIN	ATL	LA
050ED / 720 / 40SC	50# EDP Smudge Resistant All-temp permanent	S6069060	No	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
050LB / 758M / 0PBLF	50# Laser Bright General purpose permanent	S8169060	Yes	<input checked="" type="checkbox"/> <sup>†</sup> 10	<input checked="" type="checkbox"/> <sup>†</sup> 10	<input checked="" type="checkbox"/> <sup>†</sup> 10	<input type="checkbox"/>	<input checked="" type="checkbox"/> <sup>†</sup> 10	<input type="checkbox"/>
050LJ / 720 / 0PBLF	50# Super Bright Laser Jet All-temp permanent	S8214960	Yes	<input checked="" type="checkbox"/> <sup>†</sup>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
050LJ / 751 / 0PBLF	50# Super Bright Laser Jet Tackified permanent adhesive for pharmacy applications	S8218060	Yes	<input checked="" type="checkbox"/> <sup>†</sup> 10	<input type="checkbox"/>	<input checked="" type="checkbox"/> <sup>†</sup> 10	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
050LJ / 758M / 0PBLF	50# Super Bright Laser Jet General purpose permanent	S8165060	Yes-GB Yes-WIN No-LA	<input checked="" type="checkbox"/> <sup>†</sup> 10	<input checked="" type="checkbox"/> <sup>†</sup> 10	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> <sup>†</sup>
050LJ / 758M / 0PBLF	50# Super Bright Laser Jet General purpose permanent	S8165060	Yes-GB Yes-WIN No-LA	<input checked="" type="checkbox"/> <sup>†</sup> 10	<input checked="" type="checkbox"/> <sup>†</sup> 10	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> <sup>†</sup>
050LJ / 758M / 41LF	50# Super Bright Laser Jet General purpose permanent	S8238360	No	<input checked="" type="checkbox"/> <sup>†</sup> 10/15	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> <sup>†</sup> 15
054PZ / 758M / 0PBLF	57# Pink Matte Fluorescent General purpose permanent	S8190160	No	<input checked="" type="checkbox"/> <sup>†</sup>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
054RZ / 758M / 0PBLF	57# Red Matte Fluorescent General purpose permanent	S8190260	No	<input checked="" type="checkbox"/> <sup>†</sup>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
06INK / 720 / 40SC	60# Matte-Coated Ink Jet All-temp permanent	S8764760	No	<input checked="" type="checkbox"/> 1,250 2,500 5,000 10,000	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
0WCSW / 747 / 44PM	60# Classic Crest® Solar White Smooth Tackified permanent	S8741852	No	<input type="checkbox"/>	<input checked="" type="checkbox"/> 5	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
0WEL8 / 747 / 12NB	60# Estate Label® #8 White Smooth Tackified permanent	S8756052		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> 2,500/ 5/ 10

\* Indicates a runnable splice - 5,000' and 10,000' rolls standard unless otherwise noted - † 6" Cores

All orders are taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. The company's standard Terms and Conditions as in effect at the time of sale shall control.



# February

Water Based Ink Jet										
Structure	Description	Item #	Splice Free	GB	WIN	KC	MIN	ATL	LA	
0WEL8 / 747 / 44PM	60# Estate Label® #8 White Smooth Tackified permanent	S8266852	No	<input type="checkbox"/>	<input checked="" type="checkbox"/> 5	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
1GINK / 720 / 40SC	59# Gloss Ink Jet Paper All-temp permanent	S8721460	No	<input checked="" type="checkbox"/> 1,250/ 2,500/ 5	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> 2,500/ 5 Only	<input type="checkbox"/>	
2WLJP / 720 / 40SC	3.6 Mil White Polyester All-temp permanent	S8764960	No	<input checked="" type="checkbox"/> 1,250 2,500 only	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

*\* Indicates a runnable splice - 5,000' and 10,000' rolls standard unless otherwise noted - † 6" Cores*

- Minimum 3" x 2,500', 3" x 5,000', 3" x 10,000', or 3" x 15,000'
- 2,500' and 5,000' rolls are palletized poker chip (stacked on slit edge) with 45 inch maximum height including pallet.
- 10,000' and 15,000' rolls are palletized on the round (cradle packed).
- All pallets will be stretch wrapped. All rolls on 3 inch cores, except as noted.

- Orders placed by 4:00 PM (time zone applicable to location from which shipment originates) will be shipped next business day.
- Orders placed before cutoff time cannot be changed or cancelled after cutoff time.
- No early pickup arrangements, please.

GB=Green Bay, WI    WIN=Winchester, VA    KC=Kansas City, MO    MIN=Minneapolis, MN    ATL=Atlanta, GA    LA=Los Angeles, CA

All orders are taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. The company's standard Terms and Conditions as in effect at the time of sale shall control.

**FAX ORDERS 1-800-705-0111**

**CAN'T FIND IT? CALL 1-800-445-4269**

**February 13, 2018**

*All new structures have a trial period of 6 months. Structures are subject to change without notice.*